


NC3220

For Steel Turning New CVD grade (P20)

- Coating with good surface roughness and welding resistance.
- Coating with oxidation resistance at high temperature and plastic deformation resistance.
- Coating with excellent chipping resistance due to improved adhesion.

NC3220


Features of NC3220 [New coating layer with oxidation resistance and adhesion]



- Coating with good surface roughness and welding resistance.
- Coating with oxidation resistance at high temperature and plastic deformation resistance.
- Coating with excellent chipping resistance due to improved adhesion.
- Fine coating layer with toughness and wear resistance.
- Exclusive substrate material for coating improving wear resistance.




[Current grade]




[New grade (NC3220)]


- Coating with oxidation resistance at high temperature and plastic deformation resistance.
 - Improved wear resistance on the rake surface of insert
- Exclusive substrate material for coating improving wear resistance.
 - Improved wear resistance on the flank surface of insert



[For Finishing]



[For medium-finishing]




[For medium machining]

Superior surface finish



[Current grade]




[New grade (NC3220)]


- Improved adhesion and surface finish
 - Stable machining and increased welding resistance and wear resistance

Increased wear resistance, welding resistance, and chipping resistance


• Wear resistance



• Welding resistance




• Chipping resistance



Application and Features

• Application



• Features

- General grade for all kinds of steel(carbon steel, alloy steel, rolled steel, tool steel, mild steel, bearing steel, etc.) in both continuous and interrupted machining
- Longer tool life in high speed machining due to improved wear resistance and plastic deformation resistance
- Improved coating layer with superior adhesion improves chipping resistance and stability of machining.
- Fine finished coating surface provides welding resistance, superior lubrication and lower cutting load.

03

KORLOY
TECH-NEWS

NC3220

Recommended cutting

Workpiece		Recommended grade	vc(m/min)	ISO	Application range	
P	Steel	NC3010	300(200~400)	P01	NC3010	
				P10		
				P15		
	Interrupted cutting	NC3220	280(180~380)	P20	NC3220	NC3020
		NC3120	250(150~350)	P20	NC3120	
		NC3030	200(150~250)	P30	NC3030	NC5330
		NC5330	190(100~230)	P35	NC5330	NC500H
		NC500H	100(50~150)	P40		



Comparison of grade(P20)

ISO	KORLOY	MITSUBISHI	SANDVIK	SUMITOMO	KYOCERA	TAEGUTEC	TUNGALOY	KENAMETAL	ISCAR	SECO
P20	NC3220	UE6020	GC4225	AC820P AC2000	CA5525	TT8125	T9125	KCP25 KC9125	IC8250 IC9250	TP2500

Application of chip breakers



• Negative type insert

Stable Cutting ●




• Positive type insert

Stable Cutting ●




Test examples


• Alloy steel(SCR Cold forging)




- Cutting condition
 - : $vc(m/min) = 314$
 - $fn(mm/rev) = 0.25$ (external/facing)
 - $ap(mm) = 1$
 - wet
- Tool : Insert CNMG120408-VM




• Alloy steel(SCM420H Hot forging)




- Cutting condition
 - : $vc(m/min) = 80 \sim 500$
 - $fn(mm/rev) = 0.15 \sim 0.3$ (external/facing/grooving/taping)
 - $ap(mm) = 0.7 \sim 1.5$
 - wet
- Tool : Insert DNMG150608-VC




• Alloy steel(SCR420H Hot forging)




- Cutting condition
 - : $vc(m/min) = 360 \sim 430$
 - $fn(mm/rev) = 0.2$
 - $ap(mm) = 1.2 \sim 1.5$ (internal/facing)
 - wet
- Tool : Insert CNMG120408-VC




• Carbon steel(SM48C Cold forging)




- Cutting condition
 - : $vc(m/min) = 280$
 - $fn(mm/rev) = 0.2 \sim 0.25$
 - $ap(mm) = 1$
 - dry
- Tool : Insert CNMG120412-VC



• Carbon steel(SM53C Cold forging)



- Cutting condition
 - : $vc(m/min) = 280$
 - $fn(mm/rev) = 0.2 \sim 0.25$ (external/internal machining)
 - $ap(mm) = 1$
 - dry
- Tool : Insert DNMG150608-VC



NC3220

STOCK ITEMS

Shape	Designation
	CCGT 060204-VP1
	09T304-VP1
	CCMT 060202-C25
	060202-HMP
	060204-C25
	060204-HMP
	060204-VF
	060208-C25
	060208-HMP
	080308-C25
	09T302-HMP
	09T302-VF
	09T304-C25
	09T304-HMP
	09T304-VF
	09T308-C25
	09T308-HMP
	120404-C25
	120404-HMP
	120404-VF
	120408-C25
	120408-HMP
	120412-C25
	CNMG 090304-HM
	090304-VF
	090304-VM
	090308-HM
	090308-VM

Shape	Designation
	CNMG 120404-B25
	120404-HM
	120404-VB
	120404-VC
	120404-VL
	120404-VM
	120404-VP2
	120408-B25
	120408-GR
	120408-HM
	120408-VB
	120408-VC
	120408-VL
	120408-VM
	120408-VP2
	120412-B25
	120412-GR
	120412-HM
	120412-VC
	120412-VM
	160608-GR
	160608-HM
	160608-VM
	160612-B25
	160612-GR
	160612-HM
	160612-VM
	160616-GR

06

KORLOY
TECH-NEWS

NC3220

STOCK ITEMS

Shape	Designation
	CNMG 190604-B25
	190608-B25
	190608-GR
	190612-GR
	190612-HM
	190616-B25
	190616-GR
	CNMM 120408-GH
	120412-GH
	190612-GH
	190616-GH
	190624-GH
	250724-GH
	250924-GH
	250924-HH
	DCGT 070204-VP1
	DCMT 070202-HMP
	070202-VF
	070204-C25
	070204-HMP
	070204-VF
	070208-C25
	070208-HMP
	11T302-HMP
	11T302-VF
	11T304-C25
	11T304-HMP

Shape	Designation
	DCMT 11T304-VF
	11T308-C25
	11T308-HMP
	DNMG 110404-HM
	110404-VF
	110404-VM
	110408-HM
	110408-VM
	150404-HM
	150404-VF
	150404-VM
	150408-HM
	150408-B25
	150408-GR
	150408-HM
	150408-VB
	150408-VF
	150408-VL
	150408-VM
	150604-B25
	150604-HM
	150604-VC
	150604-VF
	150604-VL
	150604-VM
	150604-VP2
	150608-B25
	150608-GR
	150608-HM
	150608-VC

07

KORLOY
TECH-NEWS

NC3220

NC3220

STOCK ITEMS

Shape	Designation
	DNMG 150608-VM
	150608-VP2
	150612-GR
	150612-HM
	150612-VF
	150612-VM
	150616-GR
	KNUX 160405L-11
	160405L-12
	160405R-11
	160405R-12
	160410L-11
	160410L-12
	160410R-11
	160410R-12
	MGMN 150-G
	200-G
	200-M
	250-G
	250-M
	300-M
	400-M
	500-M
	600-M
	MGMR 300-8D-PT


Shape	Designation
	MRMN 200-M
	300-M
	400-M
	500-M
	600-M
	800-M
	QCMT 050204-CM
	060204-CM
	070304-CM
	080304-CM
	10T304-CM
	RCMX 1003M0
	1204M0
	1606M0
	2006M0
	2507M0
	SCMT 09T304-C25
	09T304-HMP
	09T308-C25
	09T308-HMP
	120404-C25
	120408-C25
	120408-HMP
	SNMG 090304-HM
	090308-HM
	120404-B25
	120404-HM
	120404-VF
	120404-VM


08

KORLOY
TECH-NEWS

NC3220

STOCK ITEMS

Shape	Designation
	SNMG 120404-VP2
	120408-B25
	120408-GR
	120408-HM
	120408-VC
	120408-VF
	120408-VM
	120408-VP2
	120412-B25
	120412-GR
	120412-HM
	120412-VM
	150608-GR
	150612-B25
	150612-GR
	150616-B25
	190608-B25
	190608-GR
	190612-B25
	190612-GR
	190612-HM
	190616-B25
	190616-GR
	250924-GR
	SNMM 120408-GH
	120412-GH
	150612-GH
	190612-GH
	190616-GH

Shape	Designation
	SNMM 190624-GH
	250724-GH
	250724-HH
	250924-GH
	SP 200
	200R
	300
	300R
	400
	400R
	SPMR 090308-M
	120304-F
	120308-M
	SPUN 120308
	190412
	TCMT 090204-C25
	090208-C25
	110202-C25
	110204-C25
	110204-HMP
	110208-C25
	110208-HMP
	16T304-C25
	16T304-HMP
	16T304-VF
	16T308-C25

09

KORLOY
TECH-NEWS

NC3220

NC3220

STOCK ITEMS

Shape	Designation
	TCMT 16T308-HMP
	TNMG 110308-HM
	160404-B25
	160404-HM
	160404-VC
	160404-VL
	160404-VM
	160404-VP2
	160408-B25
	160408-GR
	160408-GS
	160408-HM
	160408-VC
	160408-VL
	160408-VM
	160408-VP2
	160412-GR
	160412-HM
	160412-VF
	160412-VM
	220404-B25
	220404-HM
	220404-VF
	220404-VM
	220408-B25
	220408-GR
	220408-HM

Shape	Designation
	TNMG 220408-VB
	220408-VM
	220412-GR
	220412-HM
	220412-VM
	220416-GR
	270612-B25
	270612-GR
	TNMM 220412-GH
	TNMX 160404L
	160404R
	160408L
	160408R
	TPGN 160304
	160308
	TPMR 110304-F
	110308-M
	160304-F
	160308-M
	220408-M
	TPMT 110304-VF
	110308-VF

10

KORLOY
TECH-NEWS

NC3220

STOCK ITEMS

Shape	Designation
	TPUN 160304
	160308
	220408
	VBMT 110204-HMP
	110304-HMP
	110308-HMP
	160404
	160404-HMP
	160408
	160408-HMP
	VCGT 110304-VP1
	VCMT 110304-VF
	160404-HMP
	160404-VF
	160408-HMP
	VNMG 160402-VF
	160404-HM
	160404-VB
	160404-VL
	160404-VM
	160408-HM
	160408-VL
	160408-VM
	160412-HM
	160412-VM

Shape	Designation
	WCMT 06T308-C20
	080408-C20
	WNMG 060404-HM
	060404-VM
	060408-HM
	060408-VF
	060408-VM
	080404-HM
	080404-VM
	080404-VP2
	080408-B25
	080408-GR
	080408-GS
	080408-HM
	080408-VC
	080408-VF
	080408-VL
	080408-VM
	080408-VP2
	080412-GR
	080412-HM
	080412-VM



KORLOY Inc.

HEAD OFFICE

Holystar B/D, 953-1, Doksanbon-Dong,
Geumcheon-Gu, Seoul, 153-823, Korea
Tel : +82-2-522-3181
Fax : +82-2-522-3184, +82-2-3474-4744
Web : www.korloy.com E-mail : export@korloy.com

CHEONGJU FACTORY

53-16, Songjeong-Dong,
Heungdeok-Gu, Cheongju-Si,
Chungcheongbuk-Do, 361-290, Korea
Tel : +82-43-262-0141 Fax : +82-43-262-0146

JINCHEON FACTORY

767-1, Kwanghyewon-Ri, Kwanghyewon-Myun,
Jincheon-Gun, Chungcheongbuk-Do, 365-830, Korea
Tel : +82-43-535-0141 Fax : +82-43-535-0144

R&D INSTITUTE

53-16, Songjeong-Dong, Heungdeok-Gu,
Cheongju-Si, Chungcheongbuk-Do, 361-290, Korea
Tel : +82-43-262-0141 Fax : +82-43-262-0711

KORLOY AMERICA Inc.

620 Maple Avenue, Torrance, CA90503, USA
Tel : +1-310-782-3800 Toll Free : +1-888-711-0001
Fax : +1-310-782-3885
Web : www.korloyamerica.com E-mail : ussales@korloy.com

KORLOY EUROPE GmbH

Heinrich-Lanz-Allee 12, 60437 Frankfurt am Main, Germany
Tel : +49-69-5069-887-0 Fax : +49-69-5069-887-29
Web : www.korloyeurope.com E-mail : europe@korloy.com

KORLOY INDIA TOOLING Pvt.Ltd.

Ground Floor, Property No. 217, Udyog Vihar Phase 4,
Gurgaon 122001, Haryana, INDIA
Tel : +91-124-4050030 Fax : +91-124-4050032
E-mail : indiasales@korloyindia.com